



Beijing Multifit Electrical Technology Co.,Ltd

Solar Panel Cleaning Brush

(Semi-Automatic)

MULR-A Scrape Brush

Product Characteristics:

- The integrated design of scraping and brushing, one brush for dual use, convenient to carry, easy to clean, and durable.
- Y-shaped universal joint, easy to adjust angle, perfectly fits the surface of the object during cleaning.
- Avoid scratches caused by cleaning solar panels with hard objects. The rubber scraper design doesn't damage the solar module and is used to scrape snow and water.
- The brush disc adopts an integrated molding bristle planting process, which is not easy to fall off and has a wide cleaning range;
- High quality aluminum alloy telescopic rod, good texture and strong toughness, not easy to deform or bend. Customized adjustable telescopic rod with multi-sections according to the length range you need to clean




Water Spray Pump:
60W water pump (optional) is equipped.
Pumping height (lift) can be more than 50m.


Use Scenarios



Solar panel system



Exterior glass wall



Snow scraping



MULR-A Scrape Brush

| Brush Head | | Bristles | |
|--|----------------------|----------|--------------------------|
| Size | 350mm | Size | 2.8 inch Width 70mm |
| | | | 3.9 inch Length 100mm |
| Material | Engineering Plastics | Material | Made of PP |
| Telescopic rod (Aluminum alloy) | | | |
| Size | 3.6M(12ft) | Weight | 3.35kg |
| | 5.4M(18ft) | | 3.95kg |
| | 6M(20ft) | | 4.3kg |
| | 7.2M(24ft) | | 4.65kg |
| | 9M(30ft) | | 5.4kg |
| | 10.8M(36ft) | | 5.7kg |
| <p>REMARKS:The telescopic rod is selected according to the product distance you need to clean, and customized according to the data sheet</p> | | | |

Solar Panel Cleaning Brush


High Quality Telescopic Pole:



Aluminum alloy pole
Sections 4 - 9
Customization



Aluminum pole tube
thickness:
0.8 & 1mm



Aluminum pole size:
12FT 18FT 20FT 24FT
30FT 36FT



Carbon fiber pole sections:
Sections 4 to 9
Customization



Carbon fiber pole tube
thickness:
0.8 & 1mm



Carbon fiber pole size:
12FT 18FT 20FT 24FT
30FT 36FT



The tube is durable and comfortable with a smooth wall, which has a good texture and sponge handle.

03

Solar Panel Cleaning Brush


Technical Data:



Scraper

Material: Rubber blade

Size: 350mm



Brush

Material: Made of PP

Size: 2.8 / 3.9 inch

The telescopic rod is a thickened all-black aluminum alloy telescopic rod. The length is: 3.6m (12FT), 5.4m (18FT), 6m (20FT), 7.2m (24FT), 9m (30FT) and 10.8m (36FT), which can support custom length;






04





MULTIFIT GROUP



   0086-13641024477

 0086-010-87227420
0086-0754-81888658

Wechat Publish Number: Multifit

 multifit@multifitele.com
 <http://vmaxpowerpv.com>

- Beijing Headquarter:503-No.5 RongHuaGuoJi Building.No.10 Courtyard.Ronghua South Rd.BDA Zone 100176,BeiJing China
- Guangdong Plant: 3/F,JieSi Bldg.,6 Keji West Road,Hi-Tech Zone 515041,Shantou, Guangdong,China
- Shenzhen Branch:Rm1213,ChenshishanHai Bluding.No.51 PingXin North Rd.LongGang District.ShenZhen City GuangDong Province.China

